Bayer Environmental Science



MSDS Number: 000000000052

DELTADUST Insecticide

MSDS Version 2.4

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name DELTADUST Insecticide

Chemical Name

Synonym

MSDS Number 52
Chemical Family Mixture
Chemical Formulation Mixture
EPA Registration No. 432-772

Canadian Registrat. No.

Bayer Environmental Science 2 T.W. Alexander Drive Reseach Triangle PK, NC 27709 USA

For Product Use Information: (800)331-2867 Monday through Friday(CRLF) 8:00AM-4:30PM(CRLF) For Medical Emergency contact DART: (800) 334-7577 24 Hours/Day(CRLF) For Transportation Emergency CHEMTREC: (800) 424-9300 24 Hours/Day

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS No.	Concentration % by Weight	
		Minimum	Maximum
Deltamethrin	52918-63-5	0.0500	
Crystalline Silica (Quartz)	14808-60-7	3.0000	

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Keep out of the reach of children. Hazards to humans and domestic

animals. May be harmful if absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling. This product

is extremely toxic to fish and aquatic invertebrates.

Physical State Solid powder

Odor Very faint indeterminate to chalk-like odor

Appearance White

DELTADUST Insecticide

MSDS Number: 000000000052 MSDS Version 2.4

Routes of Exposure Skin contact.

Immediate Effects

Eye Non-irritating.

Skin May be harmful if absorbed through skin. May cause a transient, localized

parasthesia, characterized by tingling, burning or numbness sensation in some

individuals.

Chronic or Delayed

Long-Term

No known chronic effects.

SECTION 4. FIRST AID MEASURES

Skin Wash with plenty of soap and water. Get medical attention immediately if

irritation persists. Cold cream or a moisturizing cream has been successful in

diminishing the sensations associated with localized paresthesia.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point Not applicable

Suitable Extinguishing

Media

Carbon dioxide (CO2), Dry chemical, Foam, Water

Fire Fighting As in any fire, wear self-contained breathing apparatus pressure-demand,

Instructions MSHA/NIOSH approved (or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

General and Disposal Sweep up or shovel into approved waste disposal container. Dispose of with

chemical waste.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Avoid contact with skin, eyes and clothing.

Storing Procedures Do not contaminate water, food, or feed by storage or disposal.

Store in original container. Keep in a locked storage area. Keep in a dry, cool

place. Keep out of the reach of children.

Work/Hygienic Procedures

Wash thoroughly with soap and water after handling.

DELTADUST Insecticide

MSDS Number: 00000000052

MSDS Version 2.4

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye/Face Protection Safety glasses or Goggles

Body Protection Chemical-resistant gloves (Neoprene, Nitrile, PVC)

Exposure Limits

Crystalline Silica 14808-60-7 NIOSH REL 0.05 mg/m3

(Quartz)

Form of Exposure Respirable dust.

OSHA Z1A TWA 0.1 mg/m3

Form of Exposure Respirable dust.
US CA OEL TWA PEL 0.1

IS CA OEL TWA PEL 0.1 mg/m3 Form of Exposure Respirable dust.

US CA OEL TWA PEL 0.3 mg/m3

Form of Exposure Total dust.

ACGIH TWA 0.05 mg/m3

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance White

Physical State Solid powder

Odor Very faint indeterminate to chalk-like odor

DELTADUST Insecticide

MSDS Number: 000000000052

MSDS Version 2.4

Density 55.5 lbs/ft3 (fluffed)

105.4 lbs/ft3 (compacted)

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability Stable

Hazardous Polymerization

Will not occur

(Conditions to avoid)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity LD50: > 5,050 mg/kg

Acute Dermal Toxicity LD50: > 5,050 mg/kg

Acute Inhalation Toxicity LC50: > 26.1 mg/l 4 h

LC50: > 100 mg/l 1 h

Skin Irritation Slightly irritating

Eye Irritation Non-irritating.

Sensitization Negative

Assessment Carcinogenicity

ACGIH

Crystalline Silica (Quartz) 14808-60-7 Group A2

NTP

Crystalline Silica (Quartz) 14808-60-7

IARC

Deltamethrin 52918-63-5 3

OSHA None

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when disposing of equipment washwaters.

DELTADUST Insecticide

MSDS Number: 000000000052

MSDS Version 2.4

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

Pesticide Disposal: Wastes resulting from use of this product may be disposed of

on site or at an approved waste disposal facility.

Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture

and dispose of in a sanitary landfill, or by other procedures approved by state

and local authorities.

For Homeowners: Do not reuse empty container. Wrap container in several

layers of newspaper and discard in trash.

RCRA Classification Not Regulated under this Statute

SECTION 14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: Not DOT Regulated

SECTION 15. REGULATORY INFORMATION

US Federal Regulations

EPA Registration No. 432-772

TSCA list

Crystalline Silica (Quartz) 14808-60-7

TSCA 12b export notification

None

SARA Title III - section 302 - notification and information

None

SARA Title III - section 313 - toxic chemical release reporting

None

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to Crystalline Silica 14808-60-7

the state of California to cause cancer. (Quartz)

US State right-to-know ingredients

Crystalline Silica (Quartz) 14808-60-7 IL, MA, MN, PA

Canadian Regulations

Canadian Registrat. No.

Canadian Domestic Substance List

Crystalline Silica (Quartz) 14808-60-7

DELTADUST Insecticide

MSDS Number: 000000000052

MSDS Version 2.4

Environmental

CERCLA

None

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None

International Regulations

EU Classification

Deltamethrin 52918-63-5 Toxic Dangerous for the environment R Phrases Also toxic by inhalation and if swallowed. Very toxic to

aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

S Phrases Keep locked up and out of the reach of children. Avoid

contact with the skin. After contact with skin, wash immediately with plenty of water. Wear suitable protective clothing, gloves and eve/face protection. In case of

insufficient ventilation, wear suitable respiratory equipment. In case of accident or if you feel unwell, seek medical advice immediately (show label where possible). This material and its container must be disposed of as hazardous waste. Avoid

release to the environment. Refer to special

instructions/safety data sheets.

European Inventory of Existing Commercial Substances (EINECS)

Deltamethrin 52918-63-5 Crystalline Silica (Quartz) 14808-60-7

SECTION 16. OTHER INFORMATION

Health Flammability Reactivity Others NFPA 1 0 0 A

Reason for revision:

Update name to match label; change components; remove HMIS ratings.

Print Date: 09/15/2003

Supersedes MSDS, which is older than: 09/15/2003

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer AG. Bayer Environmental Science