Bayer Environmental Science



MSDS Number: 000000001778

MAXFORCE® Professional Insect Control® Fine Granule Insect Bait

MSDS Version 1.3

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name

MAXFORCE® Professional Insect Control® Fine Granule Insect Bait

Chemical Name

Synonym

MSDS Number

1778

Chemical Family

Chemical Formulation

EPA Registration No.

432-1262

Canadian Registrat. No.

Bayer Environmental Science 95 Chestnut Ridge Road Montvale, NJ 07645 USA

For Product Use Information: (800)331-2867 Monday through Friday(CRLF) 8:00AM-4:30PM(CRLF) For Medical Emergency contact DART: (800) 334-7577 24 Hours/Day(CRLF) For Transportation Emergency CHEMTREC: (800) 424-9300 24 Hours/Day

Product Use Description

The following data was taken from the American Cyanamid MSDS for

Hydramethylnon Issue Date March 3, 1991.

MaxForce[®] Fine Granular Insect Bait is a ready to use product for use in and around buildings, on lawns, and other non-crop areas for control of roaches, crickets and a variety of ants species.

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS No.	Concentration % by Weight	
Component Name	CAS NO.	Concentration	78 by Weight
		Minimum	Maximum
Hydramethylnon	67485-29-4	1.0000	
Other ingredients		99.0000	

MAXFORCE® Professional Insect Control® Fine Granule Insect Bait

MSDS Number: 000000001778

MSDS Version 1.3

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution. Keep out of the reach of children. Hazards to humans. Keep out of

reach of children and animals. Applicators should wear gloves and wash hands thoroughly after handling. Avoid prolonged exposure to sunlight (active will

degrade). Do not apply directly to water.

Physical State granules

Immediate Effects

Eye Avoid contact with eyes.

Skin Avoid contact with skin.

Ingestion May be harmful if swallowed.

Medical Conditions
Aggravated by Exposure

No known health conditions are aggravated by exposure to this product.

SECTION 4. FIRST AID MEASURES

Ingestion Drink one or two glasses of water and induce vomiting by touching the back of

the throat with finger, or by giving 1 ounce of syrup of ipecac, if available. Do not induce vomiting or give anything by mouth to an unconscious person. Get

medical attention.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point $> 94 \, ^{\circ}\text{C} / > 201 \, ^{\circ}\text{F}$

Method: Tagliabue Closed Cup Not flammable or Explosive

Fire and Explosion

Hazards

Avoid heavy hose streams, airborne dusts of the active ingredient,

Hydramethylnon, may create explosive hazard.

Suitable Extinguishing

Media

Instructions

water, foam, carbon dioxide (CO2), dry chemical

Fire Fighting Wear self-contained, positive pressure breathing apparatus and full fire fighting

protective clothing.

Keep unnecessary people away. Use as little water as possible. Dike area of fire

to prevent pesticide run-off. Use spray or fog - solid stream may cause

MAXFORCE® Professional Insect Control® Fine Granule Insect Bait

MSDS Number: 000000001778 MSDS Version 1.3

spreading.

Conduct fire fighting and rescue operations from upwind of the fire area. Evacuate people downwind who may come in contact with smoke, fumes, or contaminated surfaces. Do not decontaminate personnel or equipment, or handle broken packages or containers without protective equipment as specified in the Section 8. Decontaminate emergency personnel with soap and water before leaving the fire area.

Avoid breathing dusts, vapors and fumes from burning materials. Alert medical personnel to be ready to treat for pesticide poisoning. Control run-off water - if water enters a drainage system, advice the authorities downstream.

Dust Explosion Class

The active ingredient, Hydramethylnon, has been treated in a 20-liter spherical bomb (per NFPA 68-1978) and has been found to be a Class 2 dust explosive hazard. If the material is further processed, the dust explosion hazard may change and it should be retested.

SECTION 6. ACCIDENTAL RELEASE MEASURES

General and Disposal

Non-hazardous waste. Wear appropriate gear for the situation. See Personal Protection information in Section 8. Sweep up spilled material. Place in a container for disposal. Flush with water.

SECTION 7. HANDLING AND STORAGE

Handling Procedures

Do not use on edible food or on areas intended for edible food crop production. Avoid contamination of food, food contact surfaces and feedstuffs. Indoor applications are limited to areas that are inaccessible to children or pets.

Storing Procedures

Pets may be attracted to this product. Keep pets away from treated areas for at least 24 hours after application.

Store in a cool, dry secured storage area. Keep container closed when not in use. Avoid contamination from other insecticides. Do not contaminate water, food, or feed by storage or disposal. Keep away from sources of ignition and protect from exposure to fire and heat.

Work/Hygienic Procedures

Employees engaged in handling bulk quantities of Hydramethylnon should remove clothing and shower prior to exiting the work site. All employees working with the material should wash their hands prior to consuming food or tobacco products.

A NIOSH-approved respirator must be worn by employees where it is not feasible to use engineering controls and employee-exposure exceeds 1.4 mg/m3.

MAXFORCE® Professional Insect Control® Fine Granule Insect Bait

MSDS Number: 000000001778 MSDS Version 1.3

A NIOSH-approved cartridge respirator for pesticides is acceptable for exposure up to 10 X the TWA. Use a NIOSH-approved air or self-contained pressure demand respirator for higher levels of exposure.

Food, gum and tobacco products should not be allowed in areas where material is being processed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Local exhaust ventilation should be used to maintain exposures below the 8-hour

TWA and to control the generation of airborne dust from the active ingredient, Hydramethylnon, at points of transfer or other points where full enclosure is not

feasible.

Eye/Face Protection Dust-proof goggles are recommended for employees engaged in operations

where there is a risk of accidental exposure to eyes from the active ingredient,

Hydramethylnon.

Body Protection Normal work clothing, like cloth overalls, is indicated.

Respiratory Protection A NIOSH-approved respirator must be worn by employees where it is not

feasible to use engineering controls and employee-exposure exceeds 1.4

mg/m3.

General Protection All electrical wiring and equipment should meet the provisions of NFPA-70.

Exposure Limits

None Established

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State granules

Specific Gravity 0.60

MAXFORCE® Professional Insect Control® Fine Granule Insect Bait

Melting/Freezing Point > 60 °C

MSDS Number: 000000001778

MSDS Version 1.3

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability This material is stable under normal handling and storage conditions described

in Section 7.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity The active ingredient, Hydramethylnon

Male Rat: LD50: 1,131 mg/kg

Moderately toxic.

Acute Dermal Toxicity The active ingredient, Hydramethylnon

Rabbit: LD50: > 5,000 mg/kg

Practically non-toxic.

Acute Inhalation Toxicity The active ingredient, Hydramethylnon

Practically nonhazardous.

Skin Irritation The active ingredient, Hydramethylnon

Rabbit: Mild to moderate skin irritation.

Subacute dermal studies in which rabbits were exposed to the active ingredient at levels of 250 mg/kg/day for 21 days did not reveal any adverse findings.

Eye Irritation The active ingredient, Hydramethylnon

Rabbit: Reversible irritation after 24-hour wash phase.

No irritation after a 20-second wash phase.

Chronic Toxicity The active ingredient, Hydramethylnon

No conclusive oncogenic effects were observed in mice and rats at any dose level tested. However, under microscopic examination, from chronic feeding studies in rats, mice and dogs, there was wasting of muscle and subcuaneous fat as well as tecticular atrophy in high dose males. Decreased body weight, anorexia and signs of amaciation were prominent in high dose feeding groups

(200 ppm)

Assessment Carcinogenicity

ACGIH

None

NTP

None

IARC

None

OSHA

None

MAXFORCE® Professional Insect Control® Fine Granule Insect Bait

MSDS Number: 000000001778

MSDS Version 1.3

Reproductive &

Developmental Toxicity

In a multi-generation reproduction study, reproductive performance was not compromised by hydramethylnon administration. However, all high dose treatment groups (200 ppm) exhibited decreased body weights, anorexia and

poor fertility.

Teratogenicity No teratogenic effects were found at any dose level tested in albino rats.

However, at the dose level of 30 mg/kg/day (highest dose tested), hydramethylnon produce both maternal and embryotoxic effects.

Mutagenicity Technical Hydramethylnon was examined in the Ames mutagenicity test and

was found to be nonmutagenic. Similar results were achieved in a Dominant Lethal Test conducted in male rats treated with hydramethylnon by gavage for 5-

days.

SECTION 12. ECOLOGICAL INFORMATION

EnvironmentalThis product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment wastewaters.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal

Guidance

Do not contaminate water, food, or feed by disposal. Dispose in accordance with

all local, state/provincial and federal regulations.

Container Disposal Do not reuse empty container for any use other than this product. Wrap empty

container and place in trash can.

RCRA Classification Not Regulated under this Statute

SECTION 14. TRANSPORT INFORMATION

SECTION 15. REGULATORY INFORMATION

US Federal

EPA Registration No. 432-1262

TSCA list None

TSCA 12b export notification

None

SARA Title III - section 302 - notification and information

None

SARA Title III - section 313 - toxic chemical release reporting

Hydramethylnon 67485-29-4 1.0%

US States Regulatory

MAXFORCE® Professional Insect Control® Fine Granule Insect Bait

MSDS Number: 000000001778 MSDS Version 1.3

MSDS version 1.3

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

US State right-to-know ingredients

Hydramethylnon 67485-29-4 NJ

Canadian Regulations

Canadian Registrat. No.

Canadian Domestic Substance List

None

Environmental

CERCLA

None

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None

International Regulations

EU Classification

None

European Inventory of Existing Commercial Substances (EINECS)

None

SECTION 16. OTHER INFORMATION

Company transfer and new EPA number

Print Date: 01/27/2003

Supersedes MSDS, which is older than: 01/24/2003

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer AG. Bayer Environmental Science